

INDEX MAPS.

T. 13 N. R. 9 E. 2nd Mer.

	266		266		266		265		265		265	
268	6	289	5	283	4	280	3	276	2	272	1	264
	288		288		283		279		275		272	
268	7	288	8	283	9	279	10	275	11	271	12	264
	287		287		282		279		275		271	
267	18	287	17	282	16	278	15	275	14	271	13	264
	286		286		282		278		274		270	
267	19	286	20	281	21	278	22	274	23	270	24	263
	285		285		281		277		273		270	
267	30	285	29	281	28	277	27	273	26	269	25	263
	284		284		280		277		273		269	
267	31	284	32	280	33	276	34	272	35	269	36	263
	262		262		262		261		261		261	

T. 14 N. R. 9 E. 2nd Mer.

	296		296		296		295		295		295	
297	6	318	5	314	4	310	3	306	2	302	1	294
	320		318		314		310		306		302	
297	7	318	8	314	9	310	10	306	11	302	12	294
	320		317		313		309		306		301	
297	18	317	17	313	16	309	15	305	14	301	13	294
	319		316		312		309		304		301	
298	19	316	20	312	21	308	22	304	23	300	24	293
	319		316		312		308		304		300	
298	30	315	29	311	28	307	27	303	26	299	25	293
	319		315		311		307		303		299	
298	31	315	32	311	33	307	34	303	35	299	36	293
	292		292		292		291		291		291	

The figures on the lines refer to the page.

Township N. 13 North, Range N. 9 East 2. Mer. Ind. 261
ch. 4

South Boundary var. 6.45'E

West On S. boundary of Sec. 36

19.80 a Blue Ash 9 in. diam.

40.00 Set of Sec. post, from which
a Beech 27 in. diam. bray South 3 lks. dist. of
a do. 10 " " " N 46 E 26 " "

71.03 a Beech 12 " "

80.00 Set post Cor. to Sec. 35 of 36, from which
a Beech 18 in. diam. bray N 22 E 24 lks. dist. of
a do. 18 " " " N 49 W 23 " "
Level land timber Beech, Ash, Cherry,
Sugar &c. undg. Spruce, good farming land

West On S. boundary of Sec. 35

30.65 an Ash 18 in. diam.

40.00 Set of Sec. post, from which
a Water Beech 6 in. diam. bray S 51 E 7 lks. dist. of
a do. 6 " " " N 49 W 23 " "

57.75 a Blue Ash 20 in. diam.

70.75 a Branch 8 lks. wide Corner N.

80.00 Set post Cor. to Sec. 34 of 35, from which
a Beech 17 in. diam. bray N 45 E 18 lks. dist. of
a do 10 " " " N 60 W 19 " "
Sand timber &c. same as on last mile

West On S. boundary of Sec. 34

8.03 a Beech 50 in. diam.

40.00 Set of Sec. post, from which
a Beech 9 in. diam. bray N 41 W 14 lks. dist. of
a do. 30 " " " S 34 E 26 " "

70.50 Flat rock Cr. 200 lks. wide C. & S. W.

77.60 an Elm 18 in. diam.

80.00 Set post Cor. to Sec. 33 of 34, from which
an Elm 9 in. diam. bray N 65 E 23 lks. dist. of
a Blue Ash 8 " " " S 82 W 35 " "
Sand timber &c. same as on last mile

262

T3rd Sec. 2nd Mer Indiana

Chilly

West On S. boundary of Sec. 33

- 12.40 a Hickory 18 in. dia. bears
 17.50 flat rock Creek course N. W.
 26.50 a Same " " S. W.
 40.00 Set of Sec. post, from which
 a Beech 7 in. dia. bears N 10 E 8 lbs. dist. 4
 a No. 6 " " " S 71 E 14 " "
 54.00 a Beech 10 " "
 80.00 Set post Cor. to Sec. 32 & 33. from which
 a Beech 15 in. dia. bears N 49 E 32 lbs. dist. 4
 a No. 10 " " " N 82 W 13 " "
 first half overflowed bottom - lat rolling
 Land timber Beech Ash. Elm undergrowth,
 Spice &c. Soil good.

West On S. boundary of Sec. 32.

- 14.40 a Beech 15 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 9 in. dia. bears N 56 E 28 lbs. dist. 4
 a No. 15 " " " S 52 W 32 " "
 50.05 a Beech 27 " "
 80.00 Set a post Cor. to Sec. 31 & 32, from which
 a Beech 12 in. dia. bears S 42 E 32 lbs. dist. &c
 a No. 15 " " " N 7 W. 12 " "
 first half rolling good farming Land 2nd half
 wet - timber Beech Ash Elm &c. undergr.th
 Spice - Soil good -

West On S. boundary of Sec. 32.

- 21.90 a Beech 18 in. dia.
 40.00 Set of Sec. post, from which
 a Walnut 40 in. dia. bears South 20 lbs. dist. 4
 an Elm 20 " " " N 18 E 20 " "
 68.00 To Township Corner -
 Land level timber Beech Ash, Elm, undergr.th
 Spice rather wet rich Soil.

33 N. P. & E. 2^d Mer. Indiana 263
ch² l^h

East Boundary var. 7⁰⁰ E.
North On E. boundary of Sec. 36

38.20 a Sugar 9 m. dist.

40.00 Set of Sec. post, from which
at Beech 9 m. dist. bear S 60° W 15 l^h. dist. of
a Cherry 9 " " " S 83° E 15 " "

56.20 at Beech 20 " "

80.00 Set post Cor. to Sect. 25 of 36, from which
at Beech 7 m. dist. bear N 46° E 13 l^h. dist. of
a Sugar 10 " " " S 86° E 6 " "
Level land, timber Beech, Oak, Sugar, Elm
etc. undug^{ed}. Spruce, Soil good

North On E. boundary of Sec. 25

5.65 at Beech 20 m. dist.

40.00 Set of Sec. post, from which
at Beech 12 m. dist. bear S 43° W 11 l^h. dist. of
a Do. 9 " " " N 54° E 27 " "

58.55 at Beech 12 " "

80.00 Set post Cor. to Sect. 24 of 25, from which
at Beech 6 m. dist. bear S 82° W 24 l^h. dist. of
a Do. 9 " " " East 65 " "
Level good farming land, timber Beech
Walnut, Oak, Sugar etc. undug^{ed}. Spruce

North On E. boundary of Sec. 24

16.00 at Branch 15 l^h. wide Course S. W.

24.60 a Do. 12 " " " S. W

40.00 Set of Sec. post, from which
at Beech 6 m. dist. bear N 79° E 15 l^h. dist. of
a Hickory 9 " " " N 38° W 16 " "

47.80 at Beech 12 " "

80.00 Set post, Cor. to Sect. 13 of 24, from which
a Sugar 12 m. dist. bear N 10° W 18 l^h. dist. of
a Do. 9 " " " S 22° E 24 " "
Gently rolling good farming land timber

264 T3 N 19 E 2^d Mer. Indiana
ch. lky Beech, Sugar, Ash, Buckeye &c.
underg^t, Spice, rich soil

North On E. boundary of 13

- 5.80 a Sugar 15 in. dia.
40.00 Set of Sec. post, from which
a Beech 12 in. dia. bears S 62° W 14 lks. dist. &
a Spa. Oak 40 " " N 40° E 13 " "
60.40 a Beech 8 lks. wide course S. W.
60.70 an Ash 15 in. dia.
80.00 Set post Cor. to Sec. 12 & 13, from which
an Elm 9 in. dia. bears N 38° W 15 lks. dist. &
a Buckeye 12 " " " N 73° E 24 " "
good farming land timber Beech Ash Sugar
Buckeye Elm &c. underg^t Spice first rate Land
-

North On E. boundary of Sec 12

- 7.00 an Elm 15 in. dia.
36.00 a Small farm -
40.00 Set of Sec. post, from which
a Sugar 15 in. dia. bears S 33° E 45 lks. dist. &
an Ash 24 " " " N 85° W 39 " "
70.60 Flat rock creek 75 lks. wide Course S. W.
80.00 Set of post Cor. to Sec. 1 & 12, from which
a Buckeye 20 in. dia. bears S 64° W 19 lks. dist. &
an Ash 6 " " " N 15° W 10 " "
Land level timber Beech Sugar Ash B. eye. &c.
undergrowth Spice.
-

North On E. boundary of Sec. 1

- 6.60 a Beech 10 in. dia.
40.00 Set of Sec. post, from which
a Sugar 8 in. dia. bears N 47° W 15 lks. dist. &
a Beech 27 " " " S 24° E 19 " "
72.07 Intersected the Township Corner July 17. 1819
-

265
13 N. R 9 E. 2nd Mer. Indiana
ch. 1st

North Boundary.

Nest On S. boundary of Sec. 36, T4 N. R 9 E.
13.69 an Ash 30 in. dia.

40.00 Set of Sec. post, from which
a Hickory 12 in. dia. bay N 2 E 12 lks. dist. of
a do. 18 " " " N 19 W 30 " "

64.92 an Oak 48 " "

80.00 Set post Cor. to Sect. 35 of 36, from which
an Ash 8 in. dia. bay N 68 E 24 lks. dist. of
a do. 9 " " " N 28 E 24 " "
Rich level land, Beech, Sugar, Walnut
Ash, Oak, Hickory &c. undng. ² Spruce & poplar

Nest On S. boundary of Sec. 35, T4 N. R 9 E
18.30 a Beech 24 in. dia.

40.00 Set of Sec. post, from which
a Hickory 10 in. dia. bay N 48 W 17 lks. dist. of
an Ash 6 " " " N 18 W 17 " "

45.52 a Maple 22 " "

78.00 a Branch 10 lks. wide corner N.

80.00 Set post Cor. to Sect. 34 of 35, from which
a Beech 27 in. dia. bay N 76 E 17 lks. dist. of
a do. 30 " " " N 49 W 12 " "
Good farming land, Beech, Sugar, Oak, Elm
Gum Oak, Hickory &c. undng. ² Spruce

Nest On S. boundary of Sec. 34

11.62 an Oak 48 in. dia.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bay N 64 E 26 lks. dist. of
an Oak 6 " " " N 45 W 25 " "

46.40 an Oak 40 " "

80.00 Set post Cor. to Sect. 33 of 34, from which
a Beech 7 in. dia. bay N 32 E 24 lks. dist. of
a Sugar 18 " " " N 65 E 18 " "
Sand timber &c. same as on last mile

T13 N. R9 E. 2^d Mer. Indiana

ch. lky

West On S. boundary of Sec. 33, T14 N. R9 E

23.57 a Poplar 30 in. dia.

27.50 at Branch 15 lks. wide cr. S. E.

40.00 Set of Sec. post, from which

a Sugar 10 in. dia. bray N30 E 03 lks. dist. of

an Elm 7 " " " N44 E 33 " "

47.56 an Ash 40 " "

80.00 Set post Cor. to Sec. 32 & 33, from which

a W. Oak 36 in. dia. bray N23 W 39 lks. dist. of

a Beech 10 " " " N44 E 32 " "

Level moist land suitable for grass, beech
Ash, Elm, Oak &c. under Spruce.

West On S. boundary of Sec. 32, T14 N. R9 E

26.98 a Beech 10 in. dia.

40.00 Set of Sec. post, from which

a Beech 18 in. dia. bray N75 E 9 lks. dist. of

a Do. 21 " " " N75 W 16 " "

53.90 a W. Oak 36 " "

80.00 Set post Cor. to Sec. 31 & 32, from which

a Beech 10 in. dia. bray N56 E 12 lks. dist. of

a Do. 6 " " " N1 W 14 " "

Rich level land, Beech, Sugar Ash, Elm
Lym, Walnut &c. under Spruce & poplar

West On S. boundary of Sec. 31, T14 N. R9 E.

15.42 a Beech 24 in. dia.

40.00 Set of Sec. post, from which

an Elm 18 in. dia. bray N12 E 30 lks. dist. of

an Oak 10 " " " N4 W 26 " "

55.89 an Elm 42 " "

58.00 a Creek 40 lks. wide Course S.

73.50 Intersected the N. boundary N. 14 lks. S. of
temp. Set^{ing} post. Cor. to Town, 13 & 14 N.
Ranges 8 & 9 East

113 N. R 9 E. 2^d. Mer. Indiana 267
ch. 1st m.

West Boundary var 7.45' E.
North On E. boundary of Sec. 36, T13 N. R 8 E
40.00 Set q. Sec. post. from which
a Beech 9 in. dia. bears S 20 E 18 lh. dist. &
a No. 10 " " " N 13 W 10 " "
46.75 an Oak 48 " "
80.00 Set post Cor. to Sec. 25, 36, from which
an Ash 12 in. dia. bears S 70 E 33 lh. dist. &
a Beech 13 " " " N 74 W 9 " "
Over good farming Land timber. Beech, Ash,
&c. Undergrowth Spice.

North On E. boundary of Sec. 25, T13 N. R 8 E.
25.04 an Ash 18 in. dia.
40.00 Set q. Sec. post. from which
a Beech 12 in. dia. bears S 34 E 24 lh. dist. &
a No. 8 " " " N 9 E 19 " "
58.25 a Beech 16 " "
80.00 Set post Cor. to Sec. 24 & 25, from which
an Ash 40 in. dia. bears S 44 W 3 lh. dist. &
a Beech 20 " " " S 76 E 20 " "
Land timber and und. Same as last mile

North On E. boundary of Sec. 24, T13 N. R 8 E.
14.50 a Creek 50 lh. wide course S. W.
24.12 a Beech 20 in. dia.
40.00 Set q. Sec. post. from which
a Beech 13 in. dia. bears N 75 E 18 lh. dist. &
a No. 8 " " " S 39 W 19 " "
54.50 a branch 50 lh. wide course S. E.
80.00 Set post. Cor. to Sec. 13 & 24, from which
an Ironwood 7 in. dia. bears N 63 E 3 lh. dist. &
a Hornbeam " " " S 63 W 21 " "
Land timber &c. Same as last mile

North On E. boundary of Sec. 13, T13 N. R 8 E.

3^d N 29 E. 2^d Mer. Indiana ch² 1/2

- 32.81 a Beech 12 in. dia.
40.00 Set of Sec. post. from which
a Beech 9 in. dia. bears S 51 E 10 lb. dist. &
a No. 8 " " " N 66 W 38 " "
55.57 a W. Oak 48 " "
80.00 Set post. Cor. to Sec. 12 & 13, from which
a Beech 8 in. dia. bears S 78 E 15 lb. dist. &
a Dogwood 7 " " " S 88 E 15 " "
Land and timber same as last mile

North On E. boundary of Sec. 12 & 13 N. R 8 E.

- 23.67 a Sycamore 15 in. dia.
40.00 Set of Sec. post. from which
a Beech 8 in. dia. bears S 35 E 31 lb. dist. &
a W. Oak 48 " " " N 35 W 8 " "
70.40 an Elm 30 " "
80.00 Set post. Cor. to Sec. 1 & 12, from which
an Ash 8 in. dia. bears N 71 E 14 lb. dist. &
a Beech 20 " " " S 50 W 23 " "
Land timber &c. Same as last mile.

North On E. boundary of Sec. 1 & 13 N. R 8 E.

- 10.00 a Sugar 20 in. dia.
40.00 Set of Sec. post. from which
a Hickory 14 in. dia. bears South 37 lb. dist. &
a Sugar 14 " " " N 20 E 44 " "
45.00 a Creek 30 lb. wide Course S. W.
68.91 Set post Cor. to Township 13 & 14 North, Ran-
ges 8 & 9, East. from which
a — 10 in. dia. bears N 49 E 20 lb. dist. &
an Ash 24 " " " N 89 W 31 " "
(Land timber &c. Omitted)

Surveyed in 1819 By
John M. McDonald
Deputy Surveyor

ch. 1/2
T3 N. R9 E. 2^d. Mer. Indiana 269

Subdivision.

North Between Sect. 35 & 36.

6.82 a Beech 24 in. dia.

40.00 Set q. Sec. post. from which
an Ash 10 in. dia. bears N29°W36 lks. dist. &
a Beech 10 " " " S42°E 9 " "

49.43 a No. 18 " "

80.00 Set post Cor. to Sect. 25, 26, 35 & 36, from which
a Beech 15 in. dia. bears N86°E15 lks. dist. &
a No. 18 " " " S70°W36 " "
Land 2^d. rate timber Beech, Poplar, Ash, Sugar &c.
undergrowth Spice.

East On Random between Sect. 25 & 36

11.16 an Ash 12 in. dia.

40.00 Set temp. q. Sec. post.

78.91 Intersected the E. boundary 75 lks. N. of post.
Land timber &c. Same as last. mile

West Connected between Sect. 25 & 36

20.00 a Beech 20 in. dia.

39.45 Set q. Sec. post. at average dist. from which
a Sugar 6 in. dia. bears N71°W18 lks. dist. &
a Beech 10 " " " N80°E 8 " "

78.91 to Section Corner

North Between Sect. 25 & 26

9.90 a Beech 12 in. dia.

40.00 Set q. Sec. post. from which
a Ash 20 in. dia. bears N71°W19 lks. dist. &
a No. 12 " " " S59°E 7 " "

54.14 a Beech 24 " "

73.50 a Stream 16 lks. wide course N.

80.00 Set post Cor. to Sect. 23, 24, 25 & 26, from which
an Elm 8 in. dia. bears N41°E20 lks. dist. &
a Poplar 36 " " " S40°E 3 " "

270

N 31° 12' E 2nd Mer. Indiana

ch. 16 1/2

Land timber &c. Same as last mile -

East On Random between Sec. 24 & 25

7.28 an Elm 20 in dia.

18.00 a Stream 16 lks. wide course W.

40.00 Set temp. q. Sec. post.

78.85 Intersected the E. boundary 9 lks. N. of post.

Land 2nd rate timber Beech, Elm, Sugar, &c.

West Corrected between Sec. 24 & 25.

5.08 a Beech 12 in. dia.

39.42 Set q. Sec. post. at average dist. from which
a Beech 15 in. dia. bears South 24 lks. dist. &

a No. 8 " " " N 9 E 27 " "

78.85 to Section Corner

North Between Sec. 23 & 24

10.10 a Poplar 15 in dia.

40.00 Set q. Sec. post. from which
a Beech 10 in. dia. bears N 24 E 10 lks. dist. &
an Ash 5 " " " S 52 W 10 " "

52.34 a Beech 15 " "

58.00 a Stream 16 lks. wide Course S. W.

80.00 Set post. Cor. to Sec. 13, 14, 23 & 24, from which
a Buckeye 6 in. dia. bears N 72 E 11 lks. dist. &
a No. 12 " " " S 52 W 6 " "

(Description of Land &c. omitted)

September 29th 1819

East On Random between Sec. 13 & 24

5.80 a Beech 24 in. dia.

37.00 a Stream 16 lks. wide Course S. W.

40.00 Set temp. q. Sec. post.

79.03 Intersected the E. boundary 4 lks. S. of post.

Land 2nd rate timber Beech, Oak, Sugar, Ash &c.

271

T3 N 129 E. 2^d Mer. Indiana

ch. 1/2

West Corrected between Sec. 13 & 24.

6.47 a Sugar 12 in dia.

39.52 Set of. Sec. post. at average dist. from which
a Sugar 6 in. dia. bears N 7 W. 5 lks. dist. &
a No. 6 " " " S 7 W 14 " "

79.03 to Section Corner

North Between Sec. 13 & 14

10.00 a Beech 8 in. dia.

40.00 Set of. Sec. post. from which
a Hogwood 4 in. dia. bears N 51 E 18 lks. dist. &
a Beech 24 " " " S 33 W 8 " "

59.74 a No. 15

80.00 Set post. Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 12 in. dia. bears N 55 W 17 lks. dist. &
a No. 12 " " " S 55 E 24 " "

Land timber &c. Same as last mile.

East On Prandon between Sec. 12 & 13

8.63 a Hickory 20 in. dia.

40.00 Set temp. of. Sec. post.

62.50 a Stream 4.00 lks. wide course S. W.

78.50 Intersected the E. boundary 9 lks. S. of post.
Land timber &c. Same as last mile

West Corrected between Sec. 12 & 13.

8.96 an Elm 10 in. dia.

39.25 Set of. Sec. post. at average dist. from which
a Beech 18 in. dia. bears N 25 W 22 lks. dist. &
a No. 24 " " " S 62 E 22 " "

78.50 to Section Corner

North Between Sec. 11 & 12

14.30 an Ash 36 in dia.

40.00 Set of. Sec. post. from
an Elm 15 in dia. bears N 80 W 37 lks. dist. &

272 T3 N R9 E, 2nd Mer. Indiana
ch. 64

an Ash 12 in. dia. bears S 47 E 15 lks. dist. &
48.96 an Ash 12 " " "
81.00 Set post Cor. to Secs. 1, 2, 11 & 12, from which
a Beech 10 in. dia. bears N 26 E 22 lks. dist. &
a No. 22 " " " S 81 W 11 " "
Land 2nd rate timber Beech Ash Maple Oak,
&c. undergrowth Spice wood green briars & fruct. Ash.

East On Pradom between Secs. 12 & 1.

8.96 a Beech 18 in. dia.

40.00 Set temp. of Sec. post.

78.50 Intersected the E. boundary 32 lks. N. of post.
Land timber same as last mile.

West Connected between Secs. 1 & 12

20.00 a Sugar 12 in. dia.

39.25 Set of Sec. post, at average dist. from which
a Sugar 4 in. dia. bears N 12 W 9 lks. dist. &
a Beech 12 " " " S 20 W 26 " "

78.50 to Section Corner.

September 29th 1819.

North Between Secs. 1 & 2

9.49 a Beech 15 in. dia.

40.00 Set of Sec. post, from which
a W. Oak 15 in. dia. bears N 5 E 19 lks. dist. &
a No. 18 " " " S 45 E 19 " "

67.12 a Lym 30 " "

70.75 Intersected the N. boundary 1.7 lks. E. of post.
Set post Cor. to Secs. 1 & 2, from which
a W. Oak 36 in. dia. bears S 73 W 17 lks. dist. &
an Elm 10 " " " S 45 E 27 " "
Land timber &c. same as last mile.

North Between Secs. 34 & 35

19.74 an Elm 15 in. dia.

T3 N 9 E 2 Mer. Indiana 273

ch. 64

- 40.00 Set of Sec. post. from which
 a Buckeye 4 in. dia. bears N 35 E 5 lh. dist. 4
 a Beech 36 " " " S 47 E 13 " "
 47.55 a No 24 " "
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Thorn 7 in. dia. bears N 45 E 18 lh. dist. 4
 a Beech 13 " " " S 47 N 23 " "
 Land timber &c. Same as last mile.

East On Random between Sec. 35 & 26.

- 13.55 a Beech 24 in. dia.
 40.00 Set temp. of Sec. post.
 79.16 Intersected the N. & S. line 56 lh. S. of post.
 Land and timber Same as last mile

West Corrected between Sec. 26 & 35

- 11.35 an Ash 20 in. dia.
 39.58 Set of Sec. post. at average dist. from which
 a Beech 10 in. dia. bears S 35 W 16 lh. dist. 4
 a No. 5 " " " N 73 E 24 " "
 79.16 to Section Corner

North Between Sec. 26 & 27.

- 10.07 a Beech 30 in. dia.
 15.00 a stream 100 lh. wide course S.
 40.00 Set of Sec. post. from which
 an Ash 24 in. dia. bears S 43 E 13 lh. dist. 4
 a Hickory 7 " " " N 12 W 29 " "
 63.61 a Beech 18 " "
 80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 24 in. dia. bears N 28 E 28 lh. dist. 4
 a Buckeye 7 " " " S 7 E 19 " "
 Land timber &c. Same as last mile

East On Random between Sec. 23 & 26

- 15.86 a Beech 20 in. dia.

274 *St. Regis 2nd Mer. Indiana*
ch. lks

- 17.00 a Stream 100 lks. wide Course S. W.
 40.00 Set temp^y. of. Sec. post.
 79.10 Intersected the N. & S. line 23 lks. N. of post.
 Land timber &c. Same as last mile
-

West Corrected between Sec^s. 23 & 26.

- 3.74 a B. Walnut 36 in. dia.
 39.55 Set of. Sec. post. at average dist. from which
 a Beech 12 in. dia. bears S 21 W 19 lks. dist. &
 a No. 15 " " " N 55 W 18 " "
 79.10 to Section Corner
-

North Between Sec^s. 22 & 23

- 15.70 a Beech 20 in. dia.
 40.00 Set of. Sec. post. from which
 an Elm 10 in. dia. bears S 80 E 30 lks. dist. &
 a Maple 24 " " " S 41 W 5 " "
 64.90 a No. 30 " "
 80.00 Set post Cor. to Sec^s. 14, 15, 22 & 23, from which
 an Ash 15 in. dia. bears N 50 E 24 lks. dist. &
 a Beech 3 " " " S 50 W 8 " "
 Land timber &c. Same as last mile
-

East On Pradome between Sec^s. 14 & 23.

- 14.50 an Ash 24 in. dia.
 40.00 Set temp^y. of. Sec. post.
 79.00 Intersected the N. & S. line 26 lks. N. of post.
 Land first rate timber Beech, Poplar, Sugar,
 Ash &c. undergrowth Spice & prickly Ash
-

West Corrected between Sec^s. 14 & 23

- 9.00 a Beech 12 in. dia.
 39.50 Set of. Sec. post. at average dist. from which
 a Buckeye 15 in. dia. bears N 15 W 8 lks. dist. &
 a Beech 10 " " " S 6 E 10 " "
 79.00 to Section Corner. Sept. 30th 1819

275

T3 N R9 E. 2^d. Mer. Indiana

Ch. Lk.

North Between Sec^s. 14 & 15

21.03 a Beech 12 in. dia.

40.00 Set of. Sec. post. from which
a Beech 6 in. dia. bears N 76 E 13 lbs. dist. &
a No. 10 " " " S 52 W 19 " "

53.85 a Beech 12 " "

80.00 Set post Cor. to Sec^s. 10, 11, 14, 15, from which
a Beech 10 in. dia. bears N 14 W 21 lbs. dist. &
a No. 14 " " " S 13 W 29 " "
Land timber &c. Same as last mile.

East On Random between Sec^s. 11 & 14

12.00 a Beech 12 in. dia.

40.00 Set temp. of. Sec. post.

78.53 Intersected the N. & S. line 3 lbs. N. of post.
Land timber &c. Same as last mile

West Connected between Sec^s. 11 & 14

7.67 an Ash 14 in. dia.

39.26 Set of. Sec. post at average dist. from which
a Beech 10 in. dia. bears N 60 W 6 lbs. dist. &
a Hickory 12 " " " S 9 E 36 " "

78.53 to Section Corner

North Between Sec^s. 10 & 11.

19.10 a Beech 20 in. dia.

40.00 Set of. Sec. post. from which
a Hickory 10 in. dia. bears N 28 E 27 lbs. dist. &
a No. 8 " " " S 12 W 22 " "

50.50 an Ash 12 " "

80.00 Set post Corner to Sec^s. 2, 3, 10 & 11, from which
a Beech 10 in. dia. bears N 41 E 13 lbs. dist. &
a No. 10 " " " S 7 W 9 " "
Land 2nd rate timber Beech, Oak, Ash, Maple &c.

East On Random between Sec^s. 2 & 11

276 T3 N9 E. 2^d Mer. Indiana

ch. 4th

- 25.12 a Beech 36 in. dia.
 40.00 Set temp. q. Sec. post.
 78.75 Intersected the N. & S. line 13th l. S. of post.
 Land timber same as last mile

West Corrected between Sec. 2 & 11

- 13.00 an Ash 36 in. dia.
 39.37 Set q. Sec. post. at average dist. from which
 a Lynn 12 in. dia. bears S 34 E 11 l. dist. &
 a B. Oak 4 " " " N 5 W 6 " "
 78.75 to Section Corner

North Between Sec. 2 & 3.

- 23.26 an Ash 30 in. dia.
 40.00 Set q. Sec. post. from which
 a Sugar 4 in. dia. bears N 82 E 18 l. dist. &
 a Beech 6 " " " N 44 W 5 " "
 66.43 an Elm 12 " "
 71.16 Intersected the N. boundary 299 l. E. of post.
 Set post. Cor. to Sec. 2 & 3, from which
 a Buckeye 5 in. dia. bears N 40 W 5 l. dist. &
 a Beech 12 " " " S 50 E 12 " "
 Land timber &c. same as on the last mile
 October 1st 1819

North Between Sec. 33 & 34.

- 12.88 a Beech 30 in. dia.
 40.00 Set q. Sec. post. from which
 a Beech 10 in. dia. bears N 14 W 16 l. dist. &
 a W. 12 " " " S 35 E 8 " "
 58.83 an Elm 24 "
 80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
 an Ash 12 in. dia. bears N 80 E 12 l. dist. &
 a Beech 14 " " " S 80 W 16 " "
 Land & timber as before -

T 13th R 9 E. 2nd Mer. Indiana 277

ch. 2nd M^{ile}

East On Prandom between Sec. 34 & 27.

11.97 an Elm 36 in. dia.

40.00 Set temp^y. q^y. Sec. post.

63.75 a Stream 100 l^{ks}. wide course S.E.

80.06 Intersected the N. & S. line 13 l^{ks}. N. of post.

Land timber &c. same as on last mile

West Corrected between Sec. 27 & 34

6.50 a Sycamore 20 in. dia.

40.03 Set q^y. Sec. post. at average dist. from which
a Beech 9 in. dia. bears S 54 W 29 l^{ks}. dist. &
a Hickory 12 " " " N 30 E 27 " "

80.06 To Section Corner

North Between Sec. 27 & 28

23.65 a Beech 14 in. dia.

40.00 Set q^y. Sec. post. from which
a Beech 12 in. dia. bears N 60 E 26 l^{ks}. dist. &
a No. 12 " " " S 28 W 14 " "

64.10 an Ash 24 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 12 in. dia. bears N 64 W 8 l^{ks}. dist. &
a No. 14 " " " S 70 E 27 " "

Land 2nd rate timber Beech, Ash, undergrowth
Spice wood &c. Prichley Ash.

East On Prandom between Sec. 22 & 27.

16.35 a Beech 10 in. dia.

40.00 Set temp^y. q^y. Sec. post.

80.00 Intersected the N. & S. line at the post.

Land timber same as last mile

West Corrected between Sec. 22 & 27

6.96 a Beech 14 in. dia.

40.00 an Elm. notched on East & West sides two
feet from the ground for q^y. Sec. Corner.

278

T3 N 129 E. 2nd. Mer. Indiana

ch. lky

80.00 to Section Corner. Oct. 2nd. 1819.

North Between Secs. 21 & 22

19.95 a Poplar 30 in. dia.

40.00 Set of Sec. post. from which
a W. Oak 30 in. dia. bears N 37 E 32 lks. dist. &
an Ash 8 " " " S 41 W 6 " "

53.95 an Elm 12 "

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which
a W. Oak 24 in. dia. bears N 23 W 16 lks. dist. &
a Poplar 36 " " " S 23 W 14 " "
Land timber &c. same as on the last mile

East On Pradom between Secs. 15 & 22.

22.64 a B. Oak 36 in. dia.

40.00 Set temp. of Sec. post.

80.14 Intersected the N. & S. line 50 lks. S. of post.
Land first rate timber same as last mile

West Corrected between Secs. 15 & 22.

5.78 a Buckeye 12 in. dia.

40.07 Set of Sec. post. at average dist. from which
a Beech 14 in. dia. bears N 51 W 7 lks. dist. &
a Sugar 36 " " " S 5 E 14 " "

80.14 to Section Corner

North Between Secs. 15 & 16

13.85 a Locust 20 in. dia.

40.00 Set of Sec. post. from which
a W. Oak 48 in. dia. bears S 65 W 19 lks. dist. &
an Elm 12 " " " N 61 E 27 " "

65.64 an Ash 12 " "

80.00 Set post Cor. to Secs. 9, 10, 15 & 16, from which
a W. Oak 12 in. dia. bears S 47 W 12 lks. dist. &
a Sugar 8 " " " N 55 E 32 " "
Land 2nd. rate timber Beech, Ash,

T3 N R9 E. 2^d Mer Inda. 279
ch. 6th
Oak Poplar &c. undergrowth Spicewood &c.

East On Random between Sec^s. 10 & 15
10.41 a Maple 15 in. dia.
40.00 Set temp^y. q^y. Sec. post.
80.13 Intersected the N & S. line 41 l^{ks}. S. of post.
Land timber &c. Same as last. mile

West Corrected between Sec^s. 10 & 15.
12.16 an Ash 12 in. dia.
40.06 Set q^y. Sec. post. at average dist. from which
a Beech 10 in. dia. bears S 22 E 8 l^{ks}. dist. &
a W. 5 " " " N 3 E 2 1/2 " "
80.13 to Section Corner

North Between Sec^s. 9 & 10
13.50 a Beech 12 in. dia.
40.00 Set q^y. Sec. post. from which
a Hogwood 3 in. dia. bears N 25 W 8 l^{ks}. dist. &
an Elm 3 " " " S 69 E 11 " "
68.00 a Beech 12 " "
80.00 Set post cor. to Sec^s. 3, 4, 9 & 10, from which
a Beech 10 in. dia. bears N 17 E 23 l^{ks}. dist. &
a W. 12 " " " S 55 W 19 " "
Land 2^d. rate, Underg^t and timber not named.

East On Random between Sec^s. 3 & 10
12.23 a Beech 30 in. dia.
40.00 Set temp^y. q^y. Sec. post.
80.00 Intersected the N. & S. line 35 l^{ks}. S. of post.
Land 2^d. rate timber Beech, Oak, Ash &c.

West Corrected between Sec^s.
3.76 a W. Oak 18 in. dia.
40.00 Set q^y. Sec. post. at average dist. from which
a Beech 4 in. dia. bears S 78 E 19 l^{ks}. dist. &

280 T31-129 E. 2^d Mer. Ind.

ch^lly

an Ash 36 in. dia. bears N42 W 11 lh. dist. &
80.00 to Section Corner

North Between Secs. 3 & 4.

34.72 a Beech 15 in. dia.

40.00 Set of Sec. post. from which
a Beech 20 in. dia. bears N68 E 13 lh. dist. &
a No. 12 " " " S 31 W 30 " "

47.94 a Beech 24

72.30 Intersected the N. boundary 300 lh. E. of post.
Set post Cor. to Secs. 3 & 4, from which
a Sugar 10 in. dia. bears S 62 W 6 lh. dist. &
a No. 8 " " " N 67 E 16 " "
Land 2^d rate. Oct. 3^d 1819.

North Between Secs. 32 & 33

13.84 a Hickory 10 in. dia.

40.00 Set of Sec. post. from which
a Beech 15 in. dia. bears N 35 W 10 lh. dist. &
a No. 14 " " " S 35 E 20 " "

59.29 an Ash 20 " "

80.00 Set post Cor. to Secs. 28 29, 32 & 33, from which
a Sugar 10 in. dia. bears S 60 W 22 lh. dist. &
a Buckeye 10 " " " S 60 W 19 " "
Land 2^d rate -

East On Prandom between Secs. 28 & 33.

19.25 an Ash 14 in. dia.

40.00 Set temp. of Sec. post.

79.50 Intersected the N. & S. line 16 lh. N. of post.
Land 2^d rate timber Beech, Ash, Oak
Sugar, Maple, Poplar &c.

West Corrected between Secs. 28 & 33

7.45 an Ash 24 in. dia.

39.75 Set of Sec. post. at average dist. from which

281

Sgt Reg E. 2^d Mer Ind.
ch. lby
 an Ash 10 in. dia. bears S 64 E 18 lh. dist. &
 an Elm 6 " " " N 71 W 21 " "
 79.50 to Section Corner

North Between Sect. 28 & 29
 29.70 a B. Oak 48 in. dia.
 40.00 Set q. Sec. post. from which
 a Hornbeam 9 in. dia. bears N 83 E 9 lh. dist. &
 a Hickory 12 " " " N 59 W 8 " "
 61.70 an Elm 36 " "
 80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which
 a Sugar 8 in. dia. bears N 45 E 7 lh. dist. &
 a Hornbeam 5 " " " S 70 W 5 " "
 (Description of Land &c. Omitted)

East On Pradom between Sect. 21 & 28
 9.90 a W. Oak 12 in. dia.
 40.00 Set temp. q. Sec. post.
 79.50 Intersected the N. & S. line 65 lh. N. of post.
 Land 2^d rate timber Beech, Oak, Ash, &c.
 Undergth Spice &c.

West Corrected between Sect. 21 & 28
 8.75 an Ash 30 in. dia.
 39.75 Set q. Sec. post. at average dist. from which
 a Beech 12 in. dia. bears N 10 W 28 lh. dist. &
 a No. 14 " " " S 3 W 11 " "
 79.50 to Section Corner

North Between Sect. 20 & 21
 15.22 a Hickory 12 in. dia.
 40.00 Set q. Sec. post. from which
 a Beech 8 in. dia. bears S 54 W 7 lh. dist. &
 an Ash 14 " " " S 83 E 14 " "
 79.60 an Elm 12 " "
 80.00 Set post. Cor. to Sect. 16, 17, 20 & 21, from which

282

T3 N9 E. 2nd Mer. Indianach. 4th

a Maple 24 in. dia. bears N 57 E 6 lks. dist. &
 a No. 10 " " " N 26 W 35 " "
 Land 2nd rate -

East On Random between Sec. 16 & 21

3.78 a Maple 24 in. dia.

40.00 Set temp. q. Sec. post.

79.40 Intersected the N. & S. line 8 lks. N. of post.
 Land 2nd rate Beech, Oak, Ash Sugar &c.

West Corrected between Sec. 16 & 21

14.70 an Elm 48 in. dia.

39.70 Set q. Sec. post. at average dist. from which
 a Beech 4 in. dia. bears S 41 E 13 lks. dist. &
 a Dogw. 4 " " " N 26 W 40 " "

79.40 to Section Corner

North Between Sec. 16 & 17

8.50 a B. Oak 48 in. dia.

40.00 Set q. Sec. post. from which
 an Ash 5 in. dia. bears S 84 E 9 lks. dist. &
 a Beech 5 " " " S 61 W 30 " "

65.26 an Ash 12 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Oak 30 in. dia. bears N 35 E 20 lks. dist. &
 a No. 12 " " " S 87 W 30 " "
 Land 2nd rate -

East On Random between Sec. 9 & 16

15.21 an Ash 24 in. dia.

40.00 Set temp. q. Sec. post.

79.00 Intersected the N. & S. line 52 lks. S. of post.
 Land 2nd rate Beech, Ash, Oak &c.

West Corrected between Sec. 9 & 16

10.00 Lym 18 in. dia.

S 13. N 29 E. 2nd Mer. Indiana 283
ch 2th

39.50 Set q. Sec. post. at average dist. from which
 a Beech 14 in. dia. bears S 43 N 30 lb. dist. &
 a No. 5 " " " N 21 E 23 " "
 79.00 To Section Corner

North Between Sect. 8 & 9

15.87 a Beech 18 in. dia.

40.00 Set q. Sec. post. from which
 an Elm 15 in. dia. bears N 82 E 18 lb. dist. &
 an Ash 30 " " " S 27 N 32 " "

57.33 a No. 24 " "

80.00 Set post. Cor. to Sect. 4, 5, 8 & 9, from which
 an Elm 11 in. dia. bears N 32 N 31 lb. dist. &
 a Beech 12 " " " S 38 E 14 " "
 Land 2nd rate

East On Prandon between Sect. 4 & 9.

10.91 a Beech 30 in. dia.

40.00 Set temp. q. Sec. post.

78.50 Intersected the N. & S. line 9 lb. N. of post.
 Land 2nd rate Beech, Ash, Sugar &c.

West Connected between Sect. 4 & 9

9.00 a Beech 15 in. dia.

39.25 Set q. Sec. post. at average dist. from which
 an Ash 3 in. dia. bears N 13 E 8 lb. dist. &
 a Beech 4 " " " S 24 N 5 " "

78.50 to Section Corner

North Between Sect. 4 & 5

10.08 an Elm 36 in. dia.

40.00 Set q. Sec. post. from which
 a Sugar 6 in. dia. bears S 50 E 9 lb. dist. &
 a Beech 12 " " " N 75 N 10 " "

62.16 a No. 14 " "

72.64 Intersected the N. boundary 676 lb. E. of post.

284 T3N R9E. 2nd Mer. Indiana
Ch. 14

Set post Cor. to Sect. 4 & 5, from which
a B. Oak 24 in. dia. bears N 50 W 17 lb. dist. 4
a W. Oak 12 " " " S 30 E 19 " "
(Description of Land &c. Omitted)

North Between Sect. 31 & 32,

14.40 a W. Oak 18 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears N 11 E 19 lb. dist. 4
a W. 12 " " " S 11 W 10 " "

61.06 an Elm 24 " "

80.00 Set post Cor. to Sect. 29, 30, 31 & 32, from which
a Beech 4 in. dia. bears N 42 E 12 lb. dist. 4
a W. 10 " " " S 42 W 14 " "
Land 2nd rate timber Beech Poplar Ash Sugar.
undergth Spice Pucklash &c. Oct. 4th 1819

East On Random between Sect. 29 & 32.

11.93 a B. Oak 48 in. dia.

40.00 Set temp. q. Sec. post.

79.80 Intersected the N. & S. line 16 lb. N. of post.
Land 2nd rate timber and undergrowth
Same as last mile

West Connected between Sect. 29 & 32

8.80 an Ash 18 in. dia.

39.90 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 15 W 37 lb. dist. 4
a W. 10 " " " S 9 E 18 " "

79.80 to Section Corner

West Between Sect. 30 & 31

16.33 an Ash 24 in. dia.

40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears S 55 W 34 lb. dist. 4
a W. 12 " " " N 52 E 15 " "

285

T3 N R9 E 2nd Mer. Indiana

Ch. 1/4

- 55.50 a Hickory 24 in. dia.
 78.90 Intersected the W. boundary 270 lbs. S. of post.
 Set post Cor. to Secs. 30 & 31, from which
 a Beech 14 in. dia. bears N 24 E 11 lbs. dist. &
 a No. 10 " " " S 23 E 20 " "
 Land 2nd rate Beech, Oak, Ash, &c.
-

North Between Secs. 29 & 30

- 11.92 a Poplar 18 in. dia.
 40.00 Set q. Sec. post. from which
 a Hickory 12 in. dia. bears N 15 E 8 lbs. dist. &
 a Beech 12 " " " S 15 W 25 " "
 50.04 a W. Oak 14 " "
 80.00 Set post Cor. to Secs. 19, 20, 29, & 30, from which
 a Beech 20 in. dia. bears N 15 E 19 lbs. dist. &
 a No. 10 " " " S 56 E 9 " "
 Land 2nd rate timber as above.
-

East On Random between Secs. 20 & 29.

- 32.78 a Beech 12 in. dia.
 40.00 Set temp. q. Sec. post.
 80.20 Intersected the N. & S. line 3 lbs. N. of post.
 Land 2nd rate timber as last mile
-

West Connected between Secs. 20 & 29

- 8.95 a Beech 14 in. dia.
 40.10 Set q. Sec. post. at average dist. from which
 a _____ 12 in. dia. bears S 49 W 16 lbs. dist. &
 a No. 8 " " " N 5 E 11 " "
 80.20 to Section Corner
-

West Between Secs. 19 & 30

- 13.84 a Beech 30 in. dia.
 40.00 Set q. Sec. post. from which
 a Beech 5 in. dia. bears N 42 E 30 lbs. dist. &
 a Buckeye 5 " " " S 34 E 21 " "

286 S3 N 9 E 2^d Mer. Indiana
ch² 1/2

62.88 an Ash 24 in. dia.

79.03 Intersected the N. boundary 17.8 lks. S. of post.
Set post Cor. to Sec. 19 & 20, from which
a Beech 5 in. dia. bears N 80 W 1 lks. dist. &
a No. 30 " " " N 45 E 40. " "
(Description of Land &c. Omitted)

North Between Sec. 19 & 20.

18.40 an Ash 30 in. dia.

40.00 Set q. Sec. post. from which
a Beech 14 in. dia. bears S 82 W 8 lks. dist. &
a Poplar 24 " " " S 83 E 16 " "

54.74 a Beech 24 " "

80.00 Set post Cor. to Sec. 17, 18, 19, & 20, from which
a Poplar 14 in. dia. bears N 76 E 11 lks. dist. &
a Beech 10 " " " N 68 W 15 " "
Land 2^d rate timber as above

East On Random between Sec. 17 & 20

14.36 a Beech 30 in. dia.

40.00 Set temp. q. Sec. post.

80.00 Intersected the N. & S. line 5 lks. N. of post.
Land 2^d rate timber as above

West Corrected Between Sec. 17 & 20

10.55 a Beech 12 in. dia.

40.00 Set q. Sec. post. at average dist. from which
a Beech 4 in. dia. bears N 29 E 10 lks. dist. &
a No. 14 " " " S 26 W 39 " "

80.00 to Section Corner

West Between Sec. 18 & 19.

6.16 a Maple 24 in. dia.

40.00 Set q. Sec. post. from which
an Elm 4 in. dia. bears S 4 E 34 lks. dist. &
a W. Oak 12 " " " North 11 " "

287

N 31° E 2nd Mer. Indiana

ch. lks

- 62.17 an Ash 2 1/4 in. dia.
 79.83 Intersected the W. boundary 145 lks. S. of post.
 Set post cor. to Sect. 18 & 19, from which
 a Beech 3 in. dia. bears S 5 E 3 lks. dist. &
 a Ironwood 4 " " " N 26 E 9 " "
 (Description of Land &c. omitted)
 October 5th 1819.
-

North Between Sect. 17 & 18

- 11.28 an Elm 16 in. dia.
 26.00 a Beech 14 " "
 40.00 Set qf. Sec. post. from which
 a Hickory 14 in. dia. bears N 36 W 14 lks. dist. &
 a Sugar 20 " " " S 36 E 20 " "
 62.83 a Beech 16 " "
 80.00 Set post Cor. to Sect. 7, 8, 17 & 18, from which
 a Beech 10 in. dia. bears N 31 E 11 lks. dist. &
 a No. 12 " " " S 8 W 22 " "
 (Description of Land &c. Omitted)
-

East On Bandon between Sect. 8 & 17

- 39.96 a Beech 13 in dia.
 40.00 Set Temp. qf. Sec. post.
 80.18 Intersected the N. & S. line 79 lks. N. of post.
 Land 2nd rate timber as before
-

West Connected between Sect. 8 & 17

- 9.86 an Elm 36 in dia.
 40.09 Set qf. Sec. post. at average dist. from which
 a Beech 12 in. dia. bears S 56 E 22 lks. dist. &
 a No. 18 " " " N 22 W 26 " "
 80.18 to Section Corner
-

West Between Sect. 7 & 18.

- 32.65 a Beech 14 in. dia.
 40.00 Set qf. Sec. post. from which

T31 R9 E. 2. Mer. Indiana

ch. l. h.

- a Beech 20 in. dia. bears N 12 E 31 lks. dist. &
 an Ash 10 " " " S 22 E 29 " "
 65.82 a Beech 12 " "
 79.25 Intersected the W. boundary 82 lks. S. of post.
 Set post Cor. to Sec. 7 & 18, from which
 a Beech 24 in. dia. bears N 22 W 24 lks. dist. &
 a No. 24 " " " S 53 E 16 " "
 (Description of Land &c. omitted)

North Between Sec. 7 & 8

- 15.93 a Beech 15 in. dia.
 40.00 Set q. Sec. post. from which
 a Beech 12 in. dia. bears S 85 E 30 lks. dist. &
 a No. 14 " " " N 65 W 21 " "
 55.36 an Elm 15 " "
 80.00 Set post. Cor. to Sec. 5, 6, 7 & 8, from which
 a Sugar 4 in. dia. bears N 19 W 11 lks. dist. &
 a Beech 12 " " " N 87 E 14 " "
 Land 2nd rate

East On Random between Sec. 5 & 8

- 18.71 a Lyrus 24 in. dia.
 40.00 Set temp. q. Sec. post.
 80.09 Intersected the N. & S. line 9 lks. N. of post.
 Land 2nd rate timber as last mile

West Corrected between Sec. 5 & 8

- 17.02 an Elm 9 in. dia.
 40.04 Set q. Sec. post at average dist. from which
 an Elm 4 in. dia. bears N 67 W 6 lks. dist. &
 a No. 8 " " " S 36 E 12 " "
 80.09 to Section Corner

West Between Sec. 6 & 7

- 5.63 a W. Oak 24 in. dia.
 40.00 Set q. Sec. post. from which

T13N R9E.2^d Mer. Indiana 289

ch. lks

- a W. Oak 14 in. dia. bears N 63 E 8 lks. dist. &
 a No. 36 " " " S 23 W 38 " "
 51.41 an Ash 18 " "
 76.18 Intersected the W. boundary 153 lks. S. of post.
 Set post. Cor. to Sec. 6 & 7 from which
 a Beech 14 in. dia. bears S 74 E 12 lks. dist. &
 a No. 12 " " " S 83 W 28 " "
 (Description of Land &c. Omitted)

North Between Sec. 5 & 6

- 11.92 a Hickory 12 in. dia.
 40.00 Set of. Sec. post. from which
 an Ash 12 in. dia. bears N 37 W 28 lks. dist. &
 a Buckeye 8 " " " S 42 E 16 " "
 50.04 a W. Oak 14 " "
 72.42 Intersected the N. boundary 609 lks. E. of post.
 Set post Cor. to Sec. 5 & 6 from which
 a Beech 2 1/2 in. dia. bears S 74 W 10 lks. dist. &
 a No. 4 " " " S 87 E 26 " "
 Land 2^d. rate timber as last mile
 October 6th 1819.

Surveyed By
 William B. Laughlin,
 Deputy Surveyor

Comp.
 I certify that the foregoing transcript of field notes
 of Township 13 North, Range 9 East 2^d Mer. Indiana,
 has been compared with the original notes in this
 Office, and found to be correct.

Surveyor General's Office
 Cincinnati, Nov. 4th 1842

William Johnston
 Sur. Genl.